



DEPARTMENT OF THE ARMY
PHILADELPHIA DISTRICT, CORPS OF ENGINEERS
WANAMAKER BUILDING, 100 PENN SQUARE EAST
PHILADELPHIA, PENNSYLVANIA 19107-3390

JAN 2 9 2001

Hatch Mott MacDonald, Inc.

JAN 2 E 2001

Regulatory Branch Application Section II

SUBJECT:

CENAP-OP-R-200002508-35 (NW23)

Project Name:

NJ DEPT OF TRANSPORTATION

Applicant:

New Jersey Department of Transportation

Waterway:

Raccoon Creek

Location:

Locke Avenue Bridge (CR 671), Borough of Swedesboro

and Township of Woolwich, Gloucester County, New

Jersev.

Mr. Andrew Soccodato
Hatch Mott MacDonald
21 Bleeker Street
P.O. Box 1028
Millburn, New Jersey 07041-1028

Dear Mr. Soccodato:

This is in regard to your proposal, on behalf of the New Jersey Department of Transportation, to replace the Locke Avenue Bridge (CR 671), Borough of Swedesboro and Township of Woolwich, Gloucester County, New Jersey.

Under current Federal regulations, a Department of the Army permit is required for work or structures in navigable waters of the United States and/or the discharge of dredged or fill material into waters of the United States including adjacent and isolated wetlands. Based upon our review of the information you have provided, it has been determined that the proposed work is approved by the existing Department of the Army nationwide permit (NWP) described below, provided the work is conducted in compliance with the general and special conditions specified in this letter.

Nationwide Permit 23. Approved Categorical Exclusions: Activities undertaken. assisted, authorized, regulated, funded, or financed. in whole or in part, by another Federal agency or department where that agency or department has determined. pursuant to the Council on Environmental Quality Regulation for Implementing the Procedural Provisions of the National Environmental Policy Act (40 CFR part 1500 et seq.), that the activity, work, or discharge is categorically excluded from environmental documentation because it is included within a category of actions which neither individually nor cumulatively have a significant effect on the human environment, and the Office of the Chief of Engineers (ATTN: CECW-OR) has been furnished notice of the agency's or department's application for the categorical exclusion and concurs with that determination. Prior to approval for purposes of this NWP of any

addressing these comments, the Chief of Engineers may require certain conditions for authorization of an agency's categorical exclusions under this NWP. (Sections 10 and 404)

agency's categorical exclusions, the Chief of Engineers will solicit public comment. In

This authorization does not affect your responsibility to obtain any other Federal, State or local approval(s) required by law for the proposed work before beginning work.

The enclosed table (Enclosure 1) identifies those NWPs which require a

preconstruction notification (PCN) to the Corps of Engineers, those which have been regionally conditioned by the Division Engineer, and those which have been denied 401 Water Quality Certification (WQC) and/or Coastal Zone Management (CZM) consistency by the State. It is noted that CZM consistency from the State is only required for those activities in or affecting a State's coastal zone. Additionally, some of the NWPs do not involve a discharge of dredged or fill material, and as such, do not require a 401 WQC. For those NWPs not requiring a 401 WQC, the appropriate rows and columns have been identified with the term "NA". If the State has denied the required WQC and/or not concurred with the Corps' CZM consistency determination, the NWP authorization is considered denied without

prejudice until an individual project specific WQC and/or CZM approval is obtained. This approval must be obtained in order for the activity to be authorized under the NWP and a copy provided to this office before work begins. Any project specific conditions required by the State for the WQC and/or CZM approval will automatically become part of the NWP

You should carefully note that this NWP authorization is based upon your agreement to comply with the terms and conditions of this NWP (Enclosure 2), including any and all attached project specific special conditions listed below. Initiation of any authorized work shall constitute your agreement to comply with all of the NWP's conditions. You should also note that the authorized work may be subject to periodic inspections by a representative of

this office.

## PROJECT SPECIFIC SPECIAL CONDITIONS:

1. All work performed in association with the above noted project shall be conducted in accordance with the project plans identified as "Construction Plan", sheet 9/101, dated December 21, 2000 and "Environmental Plan" sheets 13/101 and 14/101, dated December 21, 2000, prepared by Hatch Mott MacDonald. The project plans provide for the reconstruction and modification of the Locke Avenue Bridge and upgrading the approaches.

2. Construction activities shall not result in the disturbance or alteration of greater than 0.22 acres of waters of the United States.

- 3. Any deviation in construction methodology or project design from that shown on the above noted drawings must be approved by this office, in writing, prior to performance of the work. All modifications to the above noted project plans shall be approved, in writing, by this office. No work shall be performed prior to written approval of this office.
- 4. This office shall be notified at least 10 days prior to the commencement of authorized work by completing and signing the enclosed Notification/ Certification of Work Commencement Form (Enclosure 3). This office shall also be notified within 10 days of the completion of the authorized work by completing and signing the enclosed Notification/Certification of Work Completion/Compliance Form (Enclosure 4). All notifications required by this condition shall be in writing and shall be transmitted to this office by registered mail. Oral notifications are not acceptable. Similar notification is required each time maintenance work is to be done under the terms of this Corps of Engineers permit.
- 5. The permittee understands and agrees that, if future operations by the United States require the removal, relocation, or other alteration, of the structure or work herein authorized, or if, in the opinion of the Secretary of the Army or his authorized representative, said structure or work shall cause unreasonable obstruction to the free navigation of the navigable waters, the permittee will be required, upon due notice from the Corps of Engineers, to remove, relocate, or alter the structural work or obstructions caused thereby, without expense to the United States. No claim shall be made against the United States on account of any such removal or alteration. (This special condition is applicable to Corps of Engineers permits that provide authorization under Section 10 of the Rivers and Harbors Act of 1899.)

You are advised that this verification of NWP authorization is valid for two (2) years from the date of this letter, unless the NWP authorization is modified, suspended, or revoked. In the event that the NWP authorization is reissued and/or modified during that time period, this two-year expiration date will remain valid, provided the activity complies with any subsequent reissuance and/or modification of the NWP authorization.

The existing NWPs will expire on February 11, 2002. Activities which have

commenced (i.e., are under construction) or are under contract to commence in reliance upon a NWP, will remain authorized provided the activity is completed within 12 months of the date of the NWP's expiration, modification, or revocation, unless discretionary authority has been exercised on a case-by-case basis to modify, suspend, or revoke the authorization. As such, any work to be completed beyond this date in reliance upon this existing NWP must be completed by February 11, 2003. Activities completed under the authorization of a NWP which was in effect at the time the activity was completed, continue to be authorized by that NWP. Accordingly, it is incumbent upon you to remain informed of any changes to the NWP

authorization(s).

Also enclosed is a pre-addressed postal card (Enclosure 5) soliciting your comments on the processing of your application. Any comments, positive or otherwise, on the procedures, timeliness, fairness, etc., may be made on this card. If you should have any questions regarding this matter, please contact Michael H. Hayduk of this office at (215) 656-5822 or write to the above address.

Sincerely,

Farank J. Cianfrani

Chief, Regulatory Branch

**Enclosures** 

## STATUS TABLE FOR NWPs IN NEW JERSEY AND DELAWARE

NWP Activity	PCN Required	DE CZM	DE WQC	NJ CZM	NJ WQC
NWPA	ON SEA	APPROVED	TAKU WAYA RESE	APPROVEDE:	N SN/A MARK
NWP 2	NO	APPROVED	N/A	DENIED	N/A
* ENWP3 T A	THE YES TO BE	<b>通道</b> 。DENIED 1	<b>基本DENIED</b> 基本	DENIED	FigDENIED
NWP 4	NO	APPROVED	WAIVED	APPROVED	APPROVED
NWP5	YES TAR		WAIVED	DENIED	A ADENIED S
NWP 6	NO	APPROVED	WAIVED	DENIED	DENIED
E. ENWPALE	***YES#\\$	ALS DENIED 4	DENIED **	A DENIED SE	A W DENIED WILL
NWP 8	YES	APPROVED	N/A	DENIED	N/A
SNWP 9	は、100年の10年の10年の10年の10年の10年の10年の10年の10年の10年	APPROVED	SPANA SPET	SEEDENIED AS ST	Septembria Anna
NWP 10	YES *	APPROVED	N/A	DENIED	N/A
STEPPONWP#15 PER	A PAYEST AND	APPROVED	THE BUATES	LANGED BY	#PYSEN/ASSESSES
NWP 12	YES *	DENIED	DENIED	DENIED	DENIED
The SAWP 13 Fru	LaggyES dage 3元	200 DENHED 2	CALIDENIED.	*ADENIED ##	A DENIED AR.
NWP 14	YES	DENIED	DENIED	DENIED	DENIED
NWP 16	YES	**APPROVED 72	. N. WAIVEDS, UK	<b>WATDENIED</b>	TOTOLNIED
NWP 16	NO	APPROVED	WAIVED	DENIED	DENIED
STEENWRITE SE	AL YES LE	APPROVED 1	<b>定論WAINED 整</b>	<b>PROPERTY OF STATE</b>	AS SEDENIED SES
NWP 18	YES *	APPROVED	WAIVED	DENIED	DENTED
NWP1922	SEEDIYES AND 18	*APPROVED **	Tat WAIVED AND	A DENIED.	CHADENIED **
NWP 20	NO	APPROVED	WAIVED	DENIED	DENIED
JEST NWP 2012	AND THE SAME OF	PARPEROVED	* WALVED *	A MODENIED STATE	TOWN THE PROPERTY OF THE PROPE
NWP 22	YES *	APPROVED	WAIVED	DENIED	DENIED
WPI23電音。排	MACH STATE OF THE		A WAWED 34		HADENIED 25
NWP 24	NO	APPROVED	N/A	APPROVED	N/A
A CHANWP 26	FF YES ★ SE	APPROVED		Charles and the same of the same of the same of	READENIED AND A
NWP 27 NWP 28	YES *	DENIED	DENIED	DENIED	DENIED
NWP 29	YES 75	APPROVED DENIED		The second of th	THE DENIED AND THE
NWF 29	WES SEE	APPROVED	DENIED WAIVED	DENIED APPROVED	DENIED
NWP 31	YES	APPROVED	WAIVED	DENIED	The same of the sa
NWP 82	YES	AFFROVED AFFRON	DENIED	DENIED DENIED	DENIED DENIED
NWP 33	YES	APPROVED	WAIVED	DENIED	DENIED
NWP34	YES	APPROVED		DENIED W	
NWP 35	YES	APPROVED	WAIVED	DENIED	DENIED
* NWP861	TES		* WAIVED		
NWP 37	YES		WAIVED	1 DDD CVIDD	, ppp or mp
NWP38	YES YES	APPROVED		APPROVED DENIED	APPROVED  DENIED
NWP 39	YES *	DENIED	DENIED	DENIED	DENIED
NWP40	YYES 1	DENIED ***	DENIED - W	DENIED	
NWP 41	YES *	DENIED	DENIED	DENIED	DENIED
**************************************	YES	DENIED P	* DENIED		DENIED
NWP 43	YES *	DENIED	DENIED	DENIED	DENIED
NWP.44			DENIED		
TO THE RESIDENCE OF THE PARTY O		です。   「	THE PARTY OF THE P	THE THEO	NAME OF THE PERSON OF THE PERS

Note: This table reflects NWP approvals and PCN requirements as published in the Federal Register on December 13, 1996 and March 9, 2000. It also reflects the State WQC and CZM determinations in the absence of any approved regional conditions

<sup>\*</sup> A PCN is required under certain circumstances. Review the terms and conditions of the NWP or general conditions to identify those circumstances.

## Nationwide Permit General Conditions

The following general conditions must be followed in order for any authorization by an NWP to be valid:

1. Navigation. No activity may cause more than a minimal adverse effect on navigation.

- 2. Proper Maintenance. Any structure or fill authorized shall be properly maintained, including maintenance to ensure public safety.
- 3. Soil Erosion and Sediment Controls. Appropriate soil erosion and sediment controls must be used and maintained in effective operating condition during construction, and all exposed soil and other fills, as well as any work below the ordinary high water mark or high tide line, must be permanently stabilized at the earliest practicable date.
- 4. Aquatic Life Movements. No activity may substantially disrupt the movement of those species of aquatic life indigenous to the waterbody, including those species which normally migrate through the area, unless the activity's primary purpose is to impound water. Culverts placed in streams must be installed to maintain low flow conditions.
- 5. <u>Equipment</u>. Heavy equipment working in wetlands must be placed on mats, or other measures must be taken to minimize soil disturbance.
- 6. <u>Regional and Case-By-Case Conditions</u>. The activity must comply with any regional conditions which may have been added by the division engineer (see 33 CFR 330.4(e)) and with any case specific conditions added by the Corps or by the State or tribe in its Section 401 water quality certification and Coastal Zone Management Act consistency determination.
- 7. Wild and Scenic Rivers. No activity may occur in a component of the National Wild and Scenic River System; or in a river officially designated by Congress as a "study river" for possible inclusion in the system, while the river is in an official study status; unless the appropriate Federal agency, with direct management responsibility for such river, has determined in writing that the proposed activity will not adversely affect the Wild and Scenic River designation, or study status. Information on Wild and Scenic Rivers may be obtained from the appropriate Federal land management agency in the area (e.g., National Park Service, U.S. Forest Service, Bureau of Land Management, U.S. Fish and Wildlife Service).

8. Tribal Rights. No activity or its operation may impair reserved tribal rights, including, but not limited to, reserved water rights and treaty fishing and hunting rights.

9. Water Quality. (a) In certain States and tribal lands an individual 401 water quality certification must be obtained or waived (See 33 CFR 330.4(c)).

(b) For NWPs 12, 14, 17, 18, 32, 39, 40, 42, 43, and 44, where the State or tribal 401 certification (either generically or individually) does not require or approve a water quality management plan, the permittee must include design criteria and techniques that will ensure that the authorized work does not result in more than minimal degradation of water quality. An important component of a water quality management plan includes stormwater management that minimizes degradation of the downstream aquatic system, including water quality. Refer to General Condition 21 for stormwater management requirements. Another important component of a water quality management plan is the establishment and maintenance of vegetated buffers next to open waters, including streams. Refer to General Condition 19 for vegetated buffer requirements for the NWPs.

0. Coastal Zone Management. In certain states, an individual state coastal zone management consistency concurrence must be obtained or waived (see Section 330.4(d)).

11. Endangered Species. (a) No activity is authorized under any NWP which is likely to jeopardize the continued existence of a threatened or endangered species or a species proposed for such designation, as identified under the Federal Endangered Species Act, or which will destroy or adversely modify the critical habitat of such species. Non-federal permittees shall notify the District Engineer if any listed species or designated critical habitat might be affected or is in the vicinity of the project, or is located in the designated critical habitat and shall not begin work on the activity until notified by the District Engineer that the requirements of the Endangered Species Act have been satisfied and that the activity is authorized. For activities that may affect Federally-listed endangered or threatened species or designated critical habitat, the notification must include the name(s) of the endangered or threatened species that may be affected by the proposed work or that utilize the designated critical habitat that may be affected by the proposed work. As a result of formal or informal consultation with the FWS or NMFS, the District Engineer may add species-specific regional endangered species conditions to the NWPs.

(b) Authorization of an activity by a nationwide permit does not authorize the "take" of a threatened or endangered species as defined under the Federal Endangered Species Act. In the absence of separate authorization (e.g., an ESA Section 10 Permit, a Biological Opinion with "incidental take" provisions, etc.) from the U.S. Fish and Wildlife Service or the National Marine Fisheries Service, both lethal and non-lethal "takes" of protected species are in violation of the Endangered Species Act. Information on the location of threatened and endangered species and their critical habitat can be obtained directly from the offices of the U.S. Fish and Wildlife Service and National Marine Fisheries Service or their world wide web pages at http://www.fws.gov/r9endspp/endspp.html

and http://www.nfms.gov/prot\_res/esahome.html, respectively.

12. <u>Historic Properties</u>. No activity which may affect historic properties listed, or eligible for listing, in the National Register of Historic Places is authorized, until the DE has complied with the provisions of 33 CFR Part 325, Appendix C. The prospective permittee must notify the District Engineer if the authorized activity may affect any historic properties listed, determined to be eligible, or which the prospective permittee has reason to believe may be eligible for listing on the National Register of Historic Places, and shall not begin the activity until notified by the District Engineer that the requirements of the National Historic Preservation Act have been satisfied and that the activity is authorized. Information on the location and existence of historic resources can be obtained from the State Historic Preservation Office and the National Register of Historic Places (see 33 CFR 330.4(g)). For activities that may affect historic properties listed in, or eligible for listing in, the National Register of Historic Places, the notification

1

(15) For NWP 43, Stormwater Management Facilities, the PCN must include, for the construction of new stormwater management facilities, a maintenance plan (in accordance with State and local requirements, if applicable) and a compensatory mitigation proposal to offset losses of waters of the United States.

(16) For NWP 44, Mining Activities, the PCN must include a description of all waters of the United States adversely affected by the project, a description of measures taken to minimize adverse effects to waters of the United States, a description of measures taken to comply with the criteria of the NWP, and a reclamation plan (for aggregate mining activities in isolated waters and non-tidal wetlands adjacent to headwaters and any hard rock/mineral mining activities).

(17) For activities that may adversely affect Federally-listed endangered or threatened species, the PCN must include the name(s) of those endangered or threatened species that may be affected by the proposed work or utilize the designated critical habitat that may be affected by the proposed work.

(18) For activities that may affect historic properties listed in, or eligible for listing in, the National Register of Historic Places, the PCN must state which historic property may be affected by the proposed work or include a vicinity map indicating the

location of the historic property.

(19) For NWPs 12, 14, 29, 39, 40, 42, 43, and 44, where the proposed work involves discharges of dredged or fill material into waters of the United States resulting in permanent, above-grade fills within 100-year floodplains (as identified on FEMA's Flood Insurance Rate Maps or FEMA-approved local floodplain maps), the notification must include documentation demonstrating that the proposed work complies with the appropriate FEMA or FEMA-approved local floodplain construction requirements.

(c) Form of Notification: The standard individual permit application form (Form ENG 4345) may be used as the notification but must clearly indicate that it is a PCN and must include all of the information required in (b) (1)-(19) of General Condition 13. A letter

containing the requisite information may also be used.

(d) District Engineer's Decision: In reviewing the PCN for the proposed activity, the District Engineer will determine whether the activity authorized by the NWP will result in more than minimal individual or cumulative adverse environmental effects or may be contrary to the public interest. The prospective permittee may, optionally, submit a proposed mitigation plan with the PCN to expedite the process and the District Engineer will consider any proposed compensatory mitigation the applicant has included in the proposal in determining whether the net adverse environmental effects to the aquatic environment of the proposed work are minimal. If the District Engineer determines that the activity complies with the terms and conditions of the NWP and that the adverse effects on the aquatic environment are minimal, the District Engineer will notify the permittee and include any conditions the District Engineer deems necessary.

Any compensatory mitigation proposal must be approved by the District Engineer prior to commencing work. If the prospective permittee is required to submit a compensatory mitigation proposal with the PCN, the proposal may be either conceptual or detailed. If the prospective permittee elects to submit a compensatory mitigation plan with the PCN, the District Engineer will expeditiously review the proposed compensatory mitigation plan. The District Engineer must review the plan within 45 days of receiving a complete PCN and determine whether the conceptual or specific proposed mitigation would ensure no more than minimal adverse effects on the aquatic environment. If the net adverse effects of the project on the aquatic environment (after consideration of the compensatory mitigation proposal) are determined by the District Engineer to be minimal, the District Engineer will provide a timely written response to the applicant stating that the project can proceed under the terms and conditions of the nationwide permit.

If the District Engineer determines that the adverse effects of the proposed work are more than minimal, then he will notify the applicant either: (1) that the project does not qualify for authorization under the NWP and instruct the applicant on the procedures to seek authorization under an individual permit; (2) that the project is authorized under the NWP subject to the applicant's submission of a mitigation proposal that would reduce the adverse effects on the aquatic environment to the minimal level; or (3) that the project is authorized under the NWP with specific modifications or conditions. Where the District Engineer determines that mitigation is required in order to ensure no more than minimal adverse effects on the aquatic environment, the activity will be authorized within the 45-day PCN period, including the necessary conceptual or specific mitigation or a requirement that the applicant submit a mitigation proposal that would reduce the adverse effects on the aquatic environment to the minimal level. When conceptual mitigation is included, or a mitigation plan is required under item (2) above, no work in waters of the United States will occur until the District Engineer has approved a specific mitigation plan.

(e) Agency Coordination: The District Engineer will consider any comments from Federal and State agencies concerning the proposed activity's compliance with the terms and conditions of the NWPs and the need for mitigation to reduce the project's adverse

effects on the aquatic environment to a minimal level.

For activities requiring notification to the District Engineer that result in the loss of greater than 1/2 acre of waters of the United States, the District Engineer will, upon receipt of a notification, provide immediately (e.g., via facsimile transmission, overnight mail, or other expeditious manner), a copy to the appropriate offices of the Fish and Wildlife Service, State natural resource or water quality agency, EPA, State Historic Preservation Officer (SHPO), and, if appropriate, the National Marine Fisheries Service. With the exception of NWP 37, these agencies will then have 10 calendar days from the date the material is transmitted to telephone or fax the District Engineer notice that they intend to provide substantive, site-specific comments. If so contacted by an agency, the District Engineer will wait an additional 15 calendar days before making a decision on the notification. The District Engineer will fully consider agency comments received within the specified time frame, but will provide no response to the resource agency, except as provided below. The District Engineer will indicate in the administrative record associated with each notification that the resource agencies' concerns were considered. As required by Section 305(b)(4)(B) of the Magnuson-Stevens Fishery Conservation and Management Act, the District Engineer will provide a response to National Marine Fisheries Service within 30 days of receipt of any

- 20. Spawning Areas. Activities, including structures and work in navigable waters of the United States or discharges of dredged or fill material, in spawning areas during spawning seasons must be avoided to the maximum extent practicable. Activities that result in the physical destruction (e.g., excavate, fill, or smother downstream by substantial turbidity) of an important spawning area are not
- 21. Management of Water Flows. To the maximum extent practicable, the activity must be designed to maintain preconstruction downstream flow conditions (e.g., location, capacity, and flow rates). Furthermore, the activity must not permanently restrict or impede the passage of normal or expected high flows (unless the primary purpose of the fill is to impound waters) and the structure or discharge of dredged or fill material must withstand expected high flows. The activity must, to the maximum extent practicable, provide for retaining excess flows from the site, provide for maintaining surface flow rates from the site similar to preconstruction conditions, and must not increase water flows from the project site, relocate water, or redirect water flow beyond preconstruction conditions. In addition, the activity must, to the maximum extent practicable, reduce adverse effects such as flooding or erosion downstream and upstream of the project site, unless the activity is part of a larger system designed to manage water flows.

22. Adverse Effects From Impoundments. If the activity, including structures and work in navigable waters of the United States or discharge of dredged or fill material, creates an impoundment of water, adverse effects on the aquatic system caused by the

accelerated passage of water and/or the restriction of its flow shall be minimized to the maximum extent practicable.

23. Waterfowl Breeding Areas. Activities, including structures and work in navigable waters of the United States or discharges of dredged or fill material, into breeding areas for migratory waterfowl must be avoided to the maximum extent practicable.

24. Removal of Temporary Fills. Any temporary fills must be removed in their entirety and the affected areas returned to their preexisting elevation.

- 25. <u>Designated Critical Resource Waters</u>. Critical resource waters include, NOAA-designated marine sanctuaries, National Estuarine Research Reserves, National Wild and Scenic Rivers, critical habitat for Federally listed threatened and endangered species, coral reefs, State natural heritage sites, and outstanding national resource waters or other waters officially designated by a State as having particular environmental or ecological significance and identified by the District Engineer after notice and opportunity for public comment. The District Engineer may also designate additional critical resource waters after notice and opportunity for comment.
- (a) Except as noted below, discharges of dredged or fill material into waters of the United States are not authorized by NWPs 7, 12, 14, 16, 17, 21, 29, 31, 35, 39, 40, 42, 43, and 44 for any activity within, or directly affecting, critical resource waters, including wetlands adjacent to such waters. Discharges of dredged or fill materials into waters of the United States may be authorized by the above NWPs in National Wild and Scenic Rivers if the activity complies with General Condition 7. Further, such discharges may be authorized in designated critical habitat for Federally listed threatened or endangered species if the activity complies with General Condition 11 and the U.S. Fish and Wildlife Service or the National Marine Fisheries Service has concurred in a determination of compliance with this condition.
- (b) For NWPs 3, 8, 10, 13, 15, 18, 19, 22, 23, 25, 27, 28, 30, 33, 34, 36, 37, and 38, notification is required in accordance with General Condition 13, for any activity proposed in the designated critical resource waters including wetlands adjacent to those waters. The District Engineer may authorize activities under these NWPs only after he determines that the impacts to the critical resource waters will be no more than minimal.

26. Fills Within 100-Year Floodplains. For purposes of this general condition, 100-year floodplains will be identified through the Federal Emergency Management Agency's (FEMA) Flood Insurance Rate Maps or FEMA-approved local floodplain maps.

(a) Discharges Below Headwaters. Discharges of dredged or fill material into waters of the United States resulting in permanent, above-grade fills within the 100-year floodplain at or below the point on a stream where the average annual flow is five cubic feet per second (i.e., below headwaters) are not authorized by NWPs 29, 39, 40, 42, 43, and 44. For NWPs 12 and 14, the prospective permittee must notify the District Engineer in accordance with General Condition 13 and the notification must include documentation that any permanent, above-grade fills in waters of the United States within the 100-year floodplain below headwaters comply with FEMA or FEMA-approved local floodplain construction requirements.

(b) Discharges in Headwaters (i.e., above the point on a stream where the average annual flow is five cubic feet per second).

(1) Flood Fringe. Discharges of dredged or fill material into waters of the United States resulting in permanent, above-grade fills within the flood fringe of the 100-year floodplain of headwaters are not authorized by NWPs 12, 14, 29, 39, 40, 42, 43, and 44, unless the prospective permittee notifies the District Engineer in accordance with General Condition 13. The notification must include documentation that such discharges comply with FEMA or FEMA-approved local floodplain construction requirements.

(2) Floodway. Discharges of dredged or fill material into waters of the United States resulting in permanent, above-grade fills within the floodway of the 100-year floodplain of headwaters are not authorized by NWPs 29, 39, 40, 42, 43, and 44. For NWPs 12 and 14, the permittee must notify the District Engineer in accordance with General Condition 13 and the notification must include documentation that any permanent, above grade fills proposed in the floodway comply with FEMA or FEMA-approved local

floodplain construction requirements.